

DEVELOPMENT VARIANCE PERMIT



APPROVED ISSUANCE OF DEVELOPMENT VARIANCE PERMIT NO. DVP16-0168

Issued To: Gary Lupul
Site Address: 4377 Kensington Road
Legal Description: Lot 21 District Lot 137 ODYD Plan 27559
Zoning Classification: RU6 – Two Dwelling Housing
Development Permit Area: N/A

SCOPE OF APPROVAL

This Permit applies to and only to those lands within the Municipality as described above, and any and all buildings, structures and other development thereon.

This Permit is issued subject to compliance with all of the Bylaws of the Municipality applicable thereto, except as specifically varied or supplemented by this Permit, noted in the Terms and Conditions below.

The issuance of a Permit limits the Permit Holder to be in strict compliance with regulations of the Zoning Bylaw and all other Bylaws unless specific Variances have been authorized by the Permit. No implied Variances from bylaw provisions shall be granted by virtue of drawing notations that are inconsistent with bylaw provisions and that may not have been identified as required Variances by the applicant or Municipal staff.

1. TERMS AND CONDITIONS

THAT Council authorizes the issuance of Development Variance Permit No. DVP16-0168 for Lot 21 District Lot 137 ODYD Plan 27559, located at 4377 Kensington Road, Kelowna, BC ;

AND THAT variances to the following sections of Zoning Bylaw No. 8000 be granted, as shown on Schedule "A":

Section 16.6.5(b): RU6 – Two Dwelling Housing Subdivision Guidelines

To vary the required minimum lot width from 18.0 m required to 17.03 m proposed.

2. PERFORMANCE SECURITY

N/A

3. DEVELOPMENT

The land described herein shall be developed strictly in accordance with the terms and conditions and provisions of this Permit and any plans and specifications attached to this Permit that shall form a part hereof.

If the Permit Holder does not commence the development permitted by this Permit within two years of the date of this Permit, this Permit shall lapse.

This Permit IS NOT a Building Permit.

4. APPLICANT'S AGREEMENT

I hereby declare that all of the above statements and the information contained in the material submitted in support of this Permit are to the best of my belief, true and correct in all respects. Upon issuance of the Permit for me by the Municipality, then in such case, I covenant and agree to save harmless and effectually indemnify the Municipality against:

- a) All actions and proceedings, costs, damages, expenses, claims, and demands whatsoever and by whomsoever brought, by reason of the Municipality granting to me the said Permit.
- b) All costs, expenses, claims that may be incurred by the Municipality if the construction by me of engineering or other types of works as called for by the Permit results in damages to any property owned in whole or in part by the Municipality or which the Municipality by duty or custom is obliged, directly or indirectly in any way or to any degree, to construct, repair, or maintain.

I further covenant and agree that should I be granted a Development Permit and/or Development Variance Permit, the Municipality may withhold the granting of any Occupancy Permit for the occupancy and / or use of any building or part thereof constructed upon the hereinbefore referred to land until all of the engineering works or other works called for by the Permit have been completed to the satisfaction of the Municipal Engineer and Divisional Director of Community Planning & Real Estate.

Should there be any change in ownership or legal description of the property, I undertake to notify the Community Planning Department immediately to avoid any unnecessary delay in processing the application.

5. APPROVALS

Issued and approved by Council on the _____ day of _____, 2017.

 Ryan Smith, Community Planning Department Manager
 Community Planning & Real Estate

 Date

**The PERMIT HOLDER is the CURRENT LAND OWNER.
 Security shall be returned to the PERMIT HOLDER.**

CITY OF KELOWNA
MEMORANDUM

Date: July 25, 2016
File No.: Z16-0042

To: Community Planning (LK)

From: Development Engineering Manager(PI)

Subject: 4377 Kensington Road

RU1 to RU6

The Development Engineering Department has the following comments and requirements associated with this rezoning application. The road and utility upgrading requirements outlined in this report will be a requirement of this development. The Development Engineering Technologist for this project is Sergio Sartori

1. Domestic Water and Fire Protection

This property is currently serviced with a 19mm diameter PVC water service. Two 19mm copper or 25mm poly water services are required to meet current by-law requirements. The water service requirements can be provided by the City at the owner's cost. **The applicant will be required to sign a Third Party Work Order for the cost of the water service upgrades.** For estimate inquiry's please contact Sergio Sartori, by email ssartori@kelowna.ca or phone, 250-469-8589.

The developer must obtain the necessary permits and have all existing utility services disconnected prior to removing or demolishing the existing structures. The City of Kelowna water meter contractor must salvage existing water meters, prior to building demolition. If water meters are not salvaged, the developer will be invoiced for the meters.

2. Sanitary Sewer

Our records indicate that this property is currently serviced with a 100mm-diameter sanitary sewer service. An inspection chamber (IC) complete with brooks box should be installed on the service at the owner's cost. Service upgrades can be provided by the City at the applicant's cost. **The applicant will be required to sign a Third Party Work Order for the cost of the service upgrade.** For estimate inquiry's please contact Sergio Sartori, by email ssartori@kelowna.ca or phone, 250-469-8589.

3. Road Improvements


- (a) Kensington Rd has been upgraded to an urban standard along the full frontage of this proposed development therefore no further upgrades are required.

5. Development Permit and Site Related Issues

Direct the roof drains into on-site rock pits or splash pads.

6. Electric Power and Telecommunication Services

The electrical and telecommunication services to this building must be installed in an underground duct system, and the building must be connected by an underground service. It is the developer's responsibility to make a servicing application with the respective electric power, telephone and cable transmission companies to arrange for these services, which would be at the applicant's cost.

A handwritten signature in black ink, appearing to read 'Purvez Irani', is written over a horizontal line.

Purvez Irani, MS, P Eng., PTOE
Development Engineering Manager
SS

**CITY OF KELOWNA****MEMORANDUM**

Date: July 25, 2016
File No.: DVP16-0168
To: Community Planning (LK)
From: Development Engineering Manager (PI)
Subject: 4377 Kensington Road

The Development Engineering comments and requirements regarding this DVP application are as follows:

This development variance permit application to vary the required frontage from 18.0 m to 17.03 m. does not compromise any municipal services.

A handwritten signature in black ink, appearing to read 'Purvez Irani', written over a horizontal line.

Purvez Irani, MS, P Eng., PTOE
Development Engineering Manager

SS

CITY OF KELOWNA


MEMORANDUM

Date: July 26, 2016
File No.: DP16-0169
To: Community Planning (LK)
From: Development Engineering Manager (PI)
Subject: 4377 Kensington Road

The Development Engineering comments and requirements regarding this Development Permit application are as follows:


1. General.

- a) All the offsite infrastructure and services upgrades are addressed in the Rezoning Engineering Report under file Z16-0042.



Purvez Irani, MS, P Eng., PTOE
Development Engineering Manager

SS



GENERAL NOTES


1. THESE PLANS HAVE BEEN DESIGNED AND DRAFTED IN ACCORDANCE WITH THE BRITISH COLUMBIA BUILDING CODE 2012 AND THE CANADIAN WOOD COUNCIL, SPAN BOOK 2004 EDITION. ALL STRUCTURAL MEMBERS HAVE BEEN DESIGNED FOR A LOCAL SNOW LOAD OF 2.5KPA. CONTRACTOR TO VERIFY LOCAL SNOW AND RAIN LOAD GUIDELINES PRIOR TO CONSTRUCTION.
2. IT IS THE RESPONSIBILITY OF THE BUILDING OWNER AND/OR BUILDER TO ENSURE CONSTRUCTION COMPLIES WITH APPLICABLE BUILDING CODES AND BYLAWS AND CONFORMS TO ACCEPTABLE BUILDING PRACTICES.
3. ALL CONSTRUCTION, MATERIALS, AND EQUIPMENT SHALL BE INSTALLED IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS AND IN A TIMELY FASHION.
4. THE CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS ON THE DRAWINGS AND ON THE BUILDING SITE BEFORE COMMENCING CONSTRUCTION.
5. IN THE EVENT OF A DISCREPANCY BETWEEN SCALED DIMENSIONS AND THOSE NOTED ON THE DRAWINGS, THE LATTER SHALL TAKE PRECEDENCE.
6. LUMBER SPECIES AND GRADES TO BE AS FOLLOWS UNLESS NOTED OTHERWISE:
JOISTS, RAFTERS, STRINGERS, PLATES: DOUGLAS FIR #2 & BETTER.
STUDS: D, FIR OR SPF STUD GRADE
POSTS, BEAMS AND LINTELS: #2, D, FIR OR BETTER.
SILLS, SLEEPERS AND PLATES IN CONTACT WITH CONCRETE: PRESSURE TREATED DOUGLAS FIR.
FLOOR AND WALL SHEATHING TO BE MIN. 15.5MM U.N.O. ROOF SHEATHING TO BE MIN. 12.5 U.N.O.
7. ALL LINTELS TO BE MINIMUM 2-38X235 UNLESS NOTED OTHERWISE, AND TO HAVE MINIMUM 35MM END BEARING.
8. SOLID BLOCKING REQUIRED BETWEEN JOISTS AND RAFTERS AT BEARING WALLS.
9. 1 ROW OF CROSS BRIDGING SHALL BE PROVIDED MID-SPAN BETWEEN FLOOR JOISTS AT A SPACING NO GREATER THAN 2100MM AS PER CBC BC 1998 9.2.3.9.4.
10. LEDGERS AND FOUNDATION SILL PLATES SHALL BE BOLTED TO CONCRETE FOUNDATION WITH 15.5MM DIAM. ANCHOR BOLTS @ 1220MM O/C UNLESS NOTED OTHERWISE.
11. NAILING SCHEDULE FOR FRAMING TO CONFORM TO NATIONAL STANDARDS.
12. ROOF VENTS SHALL BE PROVIDED TO A MINIMUM 1:300 OF THE INSULATED CEILING AREA. ROOF, GABLE AND/or EAVE TYPE VENTS SHALL BE UNIFORMLY DISTRIBUTED ON OPPOSITE SIDES OF THE BUILDING AND AT TOP AND BOTTOM OF THE ATTIC SPACE. ALL VENTS SHALL BE DESIGNED TO PREVENT THE ENTRY OF INSECTS, SNOW, OR RAIN.
13. MINIMUM 63MM CONTINUOUS AIRSPACE TO BE MAINTAINED TO ALLOW AIRFLOW FROM ROOF VENTS TO ATTIC SPACES.
14. CONTINUOUS ULTRA-VIOLET RESISTANT 6MM POLY VAPOUR BARRIER TO BE INSTALLED ON THE WARM SIDE OF INSULATION IN ALL EXTERIOR WALLS AND CEILINGS.
15. MINIMUM INSULATION REQUIREMENTS ARE AS FOLLOWS (CONTRACTOR TO VERIFY WITH LOCAL BUILDING CODES IF INSULATION SHALL BE REQUIRED OR DECREASED FROM THE FOLLOWING VALUES):
ROOF, JOISTS: R-32
ATTIC SPACES: R-40
FRAMED WALLS: R-20
SUSPENDED FRAMED FLOORS: R-28
SUSPENDED CONCRETE FLOORS: R-12
CONCRETE FOUNDATION WALLS: R-12
CONCRETE SLAB ON GRADE: R-12
16. CRAWLSPACES, HEATED OR UNHEATED, SHALL BE NATURALLY VENTED TO A MINIMUM 1:500 OF THE FLOOR AREA. ALL VENTS SHALL BE UNIFORMLY DISTRIBUTED AND CONSTRUCTED TO PREVENT THE ENTRY OF INSECTS, SNOW OR RAIN.
17. ALL ATTIC AND CRAWL SPACES TO HAVE AN MINIMUM 500MM X 700MM ACCESS OPENING PROVIDED.
18. CONTRACTOR TO ENSURE PROPER INSTALLATION OF PLUMBING, HEATING, AND ELECTRICAL EQUIPMENT AND MATERIALS AS PER THE MANUFACTURER'S SPECIFICATIONS AND IN ACCORDANCE WITH THE B.C.B.C.
19. ALL STAIRS, LANDINGS, BALCONIES, AND PORCHES HIGHER THAN 600MM (OR 2 RISERS) ABOVE GROUND SHALL BE PROTECTED WITH GUARDS AT ALL OPEN SIDES. GUARDS SHALL BE DESIGNED TO PREVENT CLIMBING AND HAVE NO OPENING GREATER THAN 100MM. INTERIOR GUARD HEIGHT SHALL BE MINIMUM 900MM AND EXTERIOR GUARD HEIGHT SHALL BE MINIMUM 1070MM.
20. ALL WINDOWS SHALL BE DOUBLE GLAZED OR INSULATED GLASS.
21. BEDROOM EGRESS: PROVIDE MINIMUM NET CLEAR OPENING OF 0.32 METERS SQUARED AND NO DIMENSION LESS THAN 380MM. MAXIMUM HEIGHT OF WINDOW FROM SUBFLOOR TO FINISHED WINDOW SILL TO BE 1500MM.
22. ALL CERAMIC WALL TILE INSTALLED IN AREAS PRONE TO WATER AND/OR PHYSICAL IMPACT TO BE UNDERLAIN WITH 12.7MM REINFORCED CONCRETE BACKER BOARD.
23. EXHAUST FANS, RANGE HOOD, AND CLOTHES DRYER TO VENT OUTSIDE VIA METAL DUCTS. EXHAUST VENTILATION RATE:
BATHROOM - 25 L/S (50 CFM)
KITCHEN - 40 L/S (80 CFM)
24. SMOKE DETECTORS SHOULD BE CONNECTED TO THE RESIDENCE POWER SOURCE (110V).
25. CLIMATIC DATA FOR THE DESIGN OF BUILDINGS IN KELOWNA:

GROUND SNOW LOAD	SS 1.8kPa
	SR 0.1kPa
HOURLY WIND PRESSURES	1/10 0.34kPa
	1/30 0.43kPa
	1/100 0.53kPa
26. SEISMIC

ZA	1
ZV	1
27. FROST DEPTH

	600MM
--	-------
28. SPECIFIED SNOW LOAD: $(0.8 \times 1.8kPa + 0.1 kPa) = 1.5kPa$

LEGAL DESCRIPTION
4377 KENSINGTON DRIVE
LOT 21, DL 167, PLAN 27559

[illegible]


PROPOSED
DEVELOPMENT
4377
KENSINGTON
DRIVE, KELOWNA

DRAWING TITLE

SITE PLAN AND
SITE COVERAGE

DATE	JULY 5/2015
DRAW BY	D.P.
JOB No.	WCS 02-15
SCALE	1:150
DRAWING No.	

A1



Willow
CADD
Services
1371 ORCHARD DRIVE,
KELOONA, B.C. V1Y 3V1
PH. (778) 215-0967

[illegible]

JOB TITLE

PROPOSED
DEVELOPMENT
4377
KENSINGTON
DRIVE, KELOWNA

DRAWING TITLE

PROPOSED
HOUSE MAIN
FLOOR AND
BASEMENT PLANS

DATE
JULY 05/2015

DRAWN BY
D.P.

JOB No.
WCS 02-15

SCALE
1:50

DRAWING No.

A2

BASEMENT FLOOR PLAN
187.6 sq. m.
SCALE 1:50





1371 ORCHARD DRIVE
KELOWNA, B.C. V1Y 3V
PH (778) 215-0967

[illegible]


PROPOSED
DEVELOPMENT
4377
KENSINGTON
DRIVE, KELOWNA

PROPOSED HOUSE ELEVATIONS

DRAWN BY
D.P.

SCALE 1:50

A3







Willow
CADD
Services
1371 ORCHARD DRIVE,
KELOWNA, B.C. V1Y 3V1
PH. (718) 215-0967

No.	REVISIONS	DATE

JOB TITLE

PROPOSED
DEVELOPMENT
4377
KENSINGTON
DRIVE, KELOWNA

DRAWING TITLE

EXISTING HOUSE
EAST AND WEST
ELEVATIONS

DATE
JULY 5/2015



DRAWN BY
D.P.

JOB No.
WCS 02-15

SCALE
1:50

DRAWING No.

A5





BRITISH COLUMBIA LAND SURVEYOR'S SITE PLAN SHOWING EXISTING
HOUSE ON LOT 21, DISTRICT LOT 167, ODYD, PLAN 27559.


PID: 004-795-130
CIVIC ADDRESS: 4377 Kensington Drive
CLIENT: Lupul

Lot dimensions shown are derived from Land Title Office records.

Scale 1:500 Metric. Distances shown are in metres and decimals thereof.

This plan is based upon a field survey completed on March 31, 2016.

- Denotes Iron Post found
- NF Denotes nothing found



AllTerra
Land Surveying Ltd.
www.AllTerraSurvey.ca
Ph: 250.762.0122 File: 316028-SP

1 EXISTING CONDITIONS - AIR PHOTO
SCALE: APPROX. 1:200

2 EXISTING CONDITIONS - SITE SURVEY
SCALE: NTS

BLA
Landscape Architecture

BALDERSTON LANDSCAPE ARCHITECTURE LTD.
716 LAWSON AVENUE, SUITE A
KELOWNA, BC V1Y 6S8
t: 1.250.860.2974
e: elizabeth@blastudio.ca

ATTENTION

THIS DRAWING IS PREPARED FOR THE SOLE USE OF LUPUL PROPERTIES LTD. NO REPRESENTATIONS OF ANY KIND ARE MADE BY BALDERSTON LANDSCAPE ARCHITECTURE LTD. (BLA LTD.) TO ANY PARTY WITH WHOM BLA LTD. DOES NOT HAVE A CONTRACT.

UTILITIES OR STRUCTURES SHOWN ON THIS DRAWING ARE COMPILED FROM INFORMATION SUPPLIED BY OTHER PARTIES AND MAY NOT BE COMPLETE OR ACCURATE. EXPOSE AND CONCLUSIVELY CONFIRM THE LOCATION IN THE FIELD ALL UNDERGROUND AND OVERHEAD UTILITIES AND STRUCTURES INDICATED ON THIS DRAWING, IDENTIFIED BY BC ONE CALL, AND LOCATED IN THE VICINITY OF THE PROPOSED WORK. CONFIRM GRADES AND REVIEW DESIGN WITH THE OWNER'S REPRESENTATIVE PRIOR TO CONSTRUCTION. BLA LTD. ASSUMES NO RESPONSIBILITY FOR LOSS OR DAMAGE CAUSED BY THIRD PARTY NEGLIGENCE OR FAILURE TO COMPLY WITH THE ABOVE.

SURVEY INFORMATION
PREPARED BY: AllTerra Land Surveying Ltd.
COORDINATE SYSTEM:
COMPILED DATE: 2016/04/06

SEAL

REVISIONS			
NO.	DATE	ISSUE/REVISION	APP.
1	2016.07.25	DEVELOPMENT PERMIT	GL

PROJECT/CLIENT
4377 KENSINGTON DRIVE
LUPUL PROPERTIES LTD.

ISSUED FOR
DEVELOPMENT PERMIT

DRAWING NAME
EXISTING CONDITIONS

	DRAWN BY:	EB
	DATE:	2016.06.06
	CHECKED BY:	XX
	DATE:	YYYY/MM/DD
	APPROVED BY:	GARY LUPUL
	DATE:	2016.06.10
	SCALE:	AS NOTED
PROJECT NO:		0012.0001.01

DRAWING NO.

L01

SHEET NO. 1 of 4
REVISION NO. 1



1 LANDSCAPE PLAN
SCALE 1:200

LEGEND

- LARGE BOULDER
 - 750 X 500 X 500 mm
 - TO MATCH ADJACENT PROPERTY
- SMALL BOULDER
 - 500 X 500 X 500 mm
 - TO MATCH ADJACENT PROPERTY
- STEPPING STONE
 - 500 X 500 X 60 mm
 - CONCRETE OR NATURAL STONE
- WALKWAY STONE
 - 800 X 350 X 60 mm
 - CONCRETE OR NATURAL STONE
- RIVER ROCK MULCH C/W ALUMINIUM EDGER
 - 100 - 150 mm DIA WASHED RIVER ROCK
 - OVER 50 mm DEPTH GRANULAR BASE
- BARK MULCH
 - 75 mm DEPTH
 - OVER 450 mm DEPTH GROWING MEDIUM
- SOD
 - ECOTURF OR APPROVED EQUAL
 - OVER 150 mm DEPTH GROWING MEDIUM
- CONCRETE SIDEWALK
- ASPHALT DRIVEWAY
- CONCRETE DRIVEWAY
- PROPOSED WOOD FENCE
- PROPOSED TRELLIS
- EXISTING WOOD FENCE
- EXISTING CHAIN LINK FENCE
- EXISTING CONCRETE FENCE
 - FROM ADJACENT DEVELOPMENT
- DIRECTION OF SURFACE DRAINAGE
 - MIN. 2 % - MAX 30 % LANDSCAPE SURFACES

EXISTING TREES

- JAPANESE MAPLE (RELOCATED ON SITE)
- EUONYMUS (RELOCATED ON SITE)
- MOUNTAIN ASH
- CHERRY
- BURR OAK
- MAPLE
- ELDERBERRY
- DOUGLAS FIR
- PONDEROSA PINE

PLANTING NOTES:

- KELOWNA PLANT HARDINESS ZONE 6a
- ALL PLANTS IN PLANT LIST ARE LOW TO MODERATE WATER USE
- ALL PLANT MATERIAL SHOWN AT 3/4 MATURE PLANT WIDTH
- TREES AND SHRUBS TO BE PLANTED AS PER CITY OF KELOWNA STANDARD TREE AND SHRUB PLANTING DETAILS

NOTES:

- SEE BUILDING PLANS FOR DIMENSIONED SITE LAYOUT PLAN AND FENCE DETAILS
- TIMED IRRIGATION WILL BE PROVIDED FOR EACH SEPARATE STRATA LOT TO COVER THE PLANTING ON THAT LOT
- SITE LIGHTING WILL CONSIST OF FRONT AND BACK PORCH LIGHTS ON EACH UNIT AND LIGHTS ON THE GARAGE ENTRIES; A PHOTO SENSITIVE LIGHT WILL BE LOCATED ON THE SIDE OF THE WEST HOUSE GARAGE NEXT TO THE DRIVEWAY

SCHEDULE
This forms part of application
DVP16-0168
Planner Initials **LK**

City of Kelowna
COMMUNITY PLANNING

PLANT SCHEDULE										
TREES	QTY	BOTANICAL NAME / COMMON NAME	CONT	CAL	SIZE	REMARKS	VERY LOW	LOW	MEDIUM	
	1	ACER X FREEMANII 'JEFFSRED' / AUTUMN BLAZE MAPLE	B@B	60 MM						X
	1	PINUS PONDEROSA / PONDEROSA PINE	B@B		3.0M HT			X		
	1	QUERCUS MACDANIELLI 'CLEMONS' TM / HERITAGE OAK	B@B	60 MM						X
	1	QUERCUS MACROCARPA / BURR OAK	B@B	60 MM			X			
SHRUBS	QTY	BOTANICAL NAME / COMMON NAME	CONT			REMARKS	VERY LOW	LOW	MEDIUM	
	39	CALAMAGROSTIS X ACUTIFLORA 'KARL FOERSTER' / FEATHER REED GRASS	#2 CONT				X	X	X	
	4	EUONYMUS ALATUS 'COMPACTUS' / COMPACT BURNING BUSH	#3 CONT							X
	30	JUNIPERUS SABINA / SAVIN JUNIPER				RELOCATED FROM ON-SITE		X	X	
	10	LAVANDULA ANGUSTIFOLIA 'HIDCOTE BLUE' / HIDCOTE BLUE LAVENDER				RELOCATED FROM ON-SITE		X		
	41	MAHONIA AQUIFOLIUM / OREGON GRAPE				RELOCATED FROM ON-SITE		X		
	8	PARTHENOCESSUS QUINQUEFOLIA / VIRGINA CREEPER	#1 CONT							X
	11	PENNISETUM ALOPECUROIDES / FOUNTAIN GRASS	#2 CONT				X			
	13	PEROVSKIA ATRIPLICIFOLIA 'LITTLE SPIRE' TM / LITTLE SPIRE RUSSIAN SAGE	#2 CONT					X		
	4	ROSA X 'NEARLY WILD' / NEARLY WILD ROSE	#3 CONT					X		
	3	WISTERIA MACROSTACHYA 'BLUE MOON' / WISTERIA	#1 CONT					X	X	

Landscape Architecture

BALDERSTON LANDSCAPE ARCHITECTURE LTD.
716 LAWSON AVENUE, SUITE A
KELOWNA, BC V1Y 6S8
t: 1.250.860.2974
e: elizabeth@blastudio.ca

ATTENTION

THIS DRAWING IS PREPARED FOR THE SOLE USE OF LUPUL PROPERTIES LTD. NO REPRESENTATIONS OF ANY KIND ARE MADE BY BALDERSTON LANDSCAPE ARCHITECTURE LTD. (BLA LTD.) TO ANY PARTY WITH WHOM BLA LTD. DOES NOT HAVE A CONTRACT.

UTILITIES OR STRUCTURES SHOWN ON THIS DRAWING ARE COMPILED FROM INFORMATION SUPPLIED BY OTHER PARTIES AND MAY NOT BE COMPLETE OR ACCURATE. EXPOSE AND CONCLUSIVELY CONFIRM THE LOCATION IN THE FIELD ALL UNDERGROUND AND OVERHEAD UTILITIES AND STRUCTURES INDICATED ON THIS DRAWING, IDENTIFIED BY BC ONE CALL, AND LOCATED IN THE VICINITY OF THE PROPOSED WORK. CONFIRM GRADES AND REVIEW DESIGN WITH THE OWNER'S REPRESENTATIVE PRIOR TO CONSTRUCTION. BLA LTD. ASSUMES NO RESPONSIBILITY FOR LOSS OR DAMAGE CAUSED BY THIRD PARTY NEGLIGENCE OR FAILURE TO COMPLY WITH THE ABOVE.

SURVEY INFORMATION
PREPARED BY: Allterra Land Surveying Ltd.
COORDINATE SYSTEM:
COMPILATION DATE: 2016/04/06

SEAL

REVISIONS			
NO.	DATE	ISSUE/REVISION	APP.
1	2016.07.20	DEVELOPMENT PERMIT	GL
2	2016.07.25	DEVELOPMENT PERMIT	GL

PROJECT/CLIENT

4377 KENSINGTON DRIVE

LUPUL PROPERTIES LTD.

ISSUED FOR

DEVELOPMENT PERMIT

DRAWING NAME

LANDSCAPE PLAN

NORTH

DRAWN BY: EB
DATE: 2016.06.06
CHECKED BY: XX
DATE: YYYY/MM/DD
APPROVED BY: GARY LUPUL
DATE: 2016.06.10
SCALE: 1:200
PROJECT NO: 0012.0001.01

DRAWING NO.

L02

SHEET NO. REVISION NO.

2 of 4 2

REVISIONS			
NO.	DATE	ISSUE/REVISION	APP.
1	2016.07.25	DEVELOPMENT PERMIT	GL

PROJECT/CLIENT

4377 KENSINGTON DRIVE

LUPUL PROPERTIES LTD.

ISSUED FOR
DEVELOPMENT PERMIT


DRAWING NAME
LANDSCAPE SECTION

<div><div></div></div>	DRAWN BY:	EB
	DATE:	2016.07.20
	CHECKED BY:	XX
	DATE:	YYYY/MM/DD
	APPROVED BY:	GARY LUPUL
	DATE:	2016.07.20
	SCALE:	AS NOTED
PROJECT NO:		0012.0001.01

DRAWING NO.

L03

SHEET NO. REVISION NO.
3 of 4 1



1 SECTION - WEST ELEVATION
1:50

P-BL-PRO-KENS-329333-02



2 PHOTO - EXISTING CONDITIONS - WEST ELEVATION
1:50

P-BL-PRO-KENS-329333-03

ATTENTION

THIS DRAWING IS PREPARED FOR THE SOLE USE OF LUPUL PROPERTIES LTD. NO REPRESENTATIONS OF ANY KIND ARE MADE BY BALDERSTON LANDSCAPE ARCHITECTURE LTD. (BLA LTD.) TO ANY PARTY WITH WHOM BLA LTD. DOES NOT HAVE A CONTRACT.

UTILITIES OR STRUCTURES SHOWN ON THIS DRAWING ARE COMPILED FROM INFORMATION SUPPLIED BY OTHER PARTIES AND MAY NOT BE COMPLETE OR ACCURATE. EXPOSE AND CONCLUSIVELY CONFIRM THE LOCATION IN THE FIELD ALL UNDERGROUND AND OVERHEAD UTILITIES AND STRUCTURES INDICATED ON THIS DRAWING, IDENTIFIED BY BC ONE CALL, AND LOCATED IN THE VICINITY OF THE PROPOSED WORK. CONFIRM GRADES AND REVIEW DESIGN WITH THE OWNER'S REPRESENTATIVE PRIOR TO CONSTRUCTION. BLA LTD. ASSUMES NO RESPONSIBILITY FOR LOSS OR DAMAGE CAUSED BY THIRD PARTY NEGLIGENCE OR FAILURE TO COMPLY WITH THE ABOVE.

SURVEY INFORMATION
PREPARED BY: Allterra Land Surveying Ltd.
COORDINATE SYSTEM:
COMPILATION DATE: 2016/04/06

SEAL

REVISIONS

NO.	DATE	ISSUE/REVISION	APP.

PROJECT/CLIENT

4377 KENSINGTON DRIVE

LUPUL PROPERTIES LTD.


ISSUED FOR

DEVELOPMENT PERMIT

DRAWING NAME

LANDSCAPE SECTION

NORTH



DRAWN BY:	EB
DATE:	2016.07.24
CHECKED BY:	XX
DATE:	YYYY/MM/DD
APPROVED BY:	GARY LUPUL
DATE:	2016.07.24
SCALE:	AS NOTED
PROJECT NO:	0012.0001.01

DRAWING NO.


L04

SHEET NO.

REVISION NO.

4 of 4


0



1 SECTION - SOUTH ELEVATION

1:50

P-BL-PRO-KENS-329333-04



2 PHOTO - EXISTING CONDITIONS - SOUTH ELEVATION

1:50

P-BL-PRO-KENS-329333-05